

NE
R 1.121 (b)(2)(ii)

--1 (twice amended). A method for displaying programming information, comprising:

(a) displaying a video comprising a plurality of frames on a portion of a display;

(b) displaying a first panel in response to a first signal from a user interface, said first panel being displayed on another portion of said display simultaneously with said video, said first panel containing information from at least one of a plurality of records, said records containing programming information, each of said records having an associated time and an associated channel, and said first panel having an associated time range from a first time to a second time and an associated range of channels;

(c) selecting a first record in response to a second signal from said user interface;

(d) selecting a second record in response to a third signal from said user interface, where said second record has an associated time and an associated channel, where said associated time of said second record is outside of said associated time range of said first panel; and

(e) in response to selecting said second record, displaying simultaneously with said video a second panel, said second panel having an associated time range from a third time to a fourth time where said third time is the same as said second time and said fourth time is not the same as said first time, and said second panel having an

associated range of channels that is the same as the associated range of channels of said first panel.

2. The method of claim 1 wherein said associated time range from said first time to said second time encompasses the entire said first panel, and said associated time range from said third time to said fourth time encompasses the entire said second panel.

Please add new claims 20-27 as follows:

SubC27

20. A method for displaying programming information, comprising:

-(a) displaying a video comprising a plurality of frames on a portion of a display;

(b) displaying simultaneously with said video a selective one of either

(i) a first panel;

(ii) a second panel; or

(iii) a first panel and a second panel

in response to at least one signal from a user interface, said first panel having an associated time range and an associated channel range and containing selective information from at least one of a plurality of records, each of said records having

(i) an associated time period;

(ii) an associated channel; and

B1

(iii) program content information including a program title, and said second panel containing information from only one of said plurality of records;

(c) each of said first panel and said second panel being selectively browsable to different time or channel ranges in response to a second signal from said user interface.

21. The method of claim 20 where said first panel shows the associated time periods, associated channels, and the program titles of said plurality of records over said associated time and channel ranges.

22. The method of claim 20 where said second panel displays said program content information.

23. The method of claim 21 where said first panel is an EPG grid over said associated time and channel ranges, said EPG grid containing a plurality of cells, each cell displaying an associated program title of a record and occupying a position on said grid that corresponds with the channel and time period associated with said record.

24. The method of claim 21 where said second panel may be displayed when a user selects a record displayed in said first panel.